






112ET000 SC

| Reference | Item number   | Qty | Description                               |
|-----------|---------------|-----|-------------------------------------------|
| 1         | 1112 020 2100 | 1   | Crankcase<br>✚ 2İ-İ5                      |
| 2         | 9371 470 3120 | 2   | Cylindrical pin 6x20                      |
| 3         | 9048 216 1010 | 6   | Pan head screw M5x18                      |
| 4         | 1112 122 3900 | 1   | Elbow connector                           |
| 5         | 1110 122 3900 | 3   | Elbow connector                           |
| 6         | 1108 647 9401 | 1   | Hose                                      |
| 7         | 1106 640 3801 | 1   | Pickup body                               |
| 8         | 9503 003 0340 | 1   | Grooved ball bearing 6202                 |
| 9         | 9456 621 3860 | 1   | Circlip 35x1.5                            |
| 10        | 9629 003 2860 | 1   | Oil seal 25x37x7                          |
| 11        | 9503 003 0310 | 1   | Grooved ball bearing 6002                 |
| 12        | 9640 003 1570 | 1   | Oil seal 15x24x7                          |
| 13        | 1110 029 0500 | 1   | Gasket                                    |
| 14        | 1110 030 0400 | 1   | Crankshaft                                |
| 15        | 9048 319 0980 | 2   | Pan head screw M5x16                      |
| 16        | 1110 029 2300 | 1   | Cylinder gasket                           |
| 17        | 1110 020 1210 | 1   | Cylinder with piston ç 44 mm<br>✚ 18İ-İ21 |
| 18        | 1110 030 2000 | 1   | Piston ç 44 mm<br>✚ 19İ-İ21               |
| 18        | 1110 030 2005 | 1   | Piston ç 44 mm<br>✚ 19İ-İ21               |
| 19        | 1110 034 1500 | 1   | Piston pin 10x6x32                        |
| 20        | 9462 650 1000 | 2   | Snap ring 10                              |
| 21        | 1110 034 3000 | 2   | Piston ring ç 44x1.5 mm                   |
| 22        | 9512 003 2340 | 1   | Needle cage 10x14x13                      |
| 23        | 9036 341 0980 | 4   | Socket head screw M5x16                   |




112ET000 SC

| Reference | Item number   | Qty | Description                 |
|-----------|---------------|-----|-----------------------------|
| 24        | 1114 640 3600 | 1   | Oil filler cap<br>+ 25      |
| 25        | 0000 992 6305 | 1   | Sealing ring                |
| 26        | 1110 400 7005 | 1   | Spark plug Bosch WSR 6 F    |
| 28        | 1106 405 1000 | 1   | Spark plug boot             |
| 29        | 0000 998 0603 | 1   | Torsion spring              |
| 30        | 1110 149 0600 | 1   | Muffler gasket              |
| 31        | 1110 140 0601 | 1   | Muffler                     |
| 32        | 9036 341 0980 | 2   | Socket head screw M5x16     |
| 33        | 9291 021 0120 | 1   | Washer 5.3                  |
| 34        | 9048 216 1010 | 1   | Pan head screw M5x18        |
| 35        | 0000 961 0501 | 2   | Ring                        |
| 36        |               | 1   | Hose 3.1x5.7x135 mm (D)     |
|           | 0000 930 2803 | 1   | Hose 3.1x5.7 mm x 1 m (A,B) |




| Reference | Item number   | Qty | Description            |
|-----------|---------------|-----|------------------------|
|           | 1110 640 3200 | 1   | Oil pump<br>✚ 11-17    |
| 1         | 1110 640 3000 | 1   | Pump housing           |
| 2         | 9646 945 0340 | 1   | O-ring 6x1.5           |
| 3         | 1110 647 0601 | 1   | Pump piston            |
| 4         | 0000 958 0602 | 2   | Washer                 |
| 5         | 0000 997 0805 | 1   | Compression spring     |
| 6         | 1110 647 9000 | 1   | Rubber ring            |
| 7         | 0000 963 0501 | 2   | Bushing                |
| 8         | 9456 621 2140 | 1   | Circlip 20x1           |
| 9         | 9646 945 0490 | 1   | O-ring 7x1.5           |
| 10        | 1110 647 4800 | 1   | Control bolt           |
| 11        | 1112 647 5000 | 1   | Support                |
| 12        | 9048 216 1010 | 1   | Pan head screw M5x18   |
| 13        | 9646 945 0590 | 1   | O-ring 8x2             |
| 14        | 1110 647 4900 | 1   | Control knob           |
| 15        | 9460 624 0800 | 1   | E-clip 8               |
| 16        | 1110 640 7100 | 1   | Worm<br>✚ 17, 18       |
| 17        | 9643 003 1160 | 1   | Sealing ring 12x16x3   |
| 18        | 1110 647 9705 | 1   | Ring                   |
| 19        | 1112 640 8600 | 1   | Washer<br>✚ 20         |
| 20        | 9371 651 1360 | 1   | Cylindrical pin 2.5x11 |
| 21        | 9512 003 2400 | 1   | Needle cage 12x15x10   |
| 22        | 1112 640 2500 | 1   | Drive pinion           |
| 23        | 0000 958 1211 | 1   | Washer                 |
| 24        | 9643 003 1160 | 1   | Sealing ring 12x16x3   |
| 25        | 1110 162 8900 | 1   | Washer                 |




112ET002 LA

| Reference | Item number   | Qty | Description              |
|-----------|---------------|-----|--------------------------|
|           | 1112 160 2000 | 1   | Clutch<br>+ 26l-l28      |
| 26        | 1113 162 3205 | 1   | Carrier                  |
| 27        | 1112 160 1500 | 3   | Clutch shoe              |
| 28        | 0000 997 5728 | 3   | Tension spring           |
| 29        | 1110 664 1500 | 1   | Tensioning nut           |
| 30        | 1110 664 1600 | 1   | Adjusting screw          |
| 31        | 1110 021 9000 | 1   | Clamp                    |
| 32        | 1113 664 1100 | 1   | Outer side plate         |
| 33        | 1110 664 2400 | 2   | Collar screw             |
| 34        | 1112 664 1000 | 1   | Inner side plate         |
| 35        | 9441 065 1910 | 2   | Round head rivet 3x8     |
| 36        | 1112 648 0400 | 1   | Chain sprocket cover     |
| 37        | 9220 260 1100 | 2   | Hexagon nut M8           |
| 38        | 1110 664 0501 | 2   | Bumper spike             |
| 39        | 9008 319 0960 | 4   | Hexagon head screw M5x12 |
| 40        | 9214 320 0700 | 4   | Lock nut M5              |




112ET003 LA

| Reference | Item number   | Qty | Description                |
|-----------|---------------|-----|----------------------------|
| 1         | 1112 642 2300 | 1   | Axle                       |
| 2         | 9512 003 3000 | 1   | Needle cage 12x15x13       |
| 3         | 1112 642 1500 | 1   | Spur gear                  |
| 4         | 0000 958 1208 | 1   | Washer                     |
| 5         | 9455 621 1130 | 1   | Circlip 12x1               |
| 6         | 9636 965 1160 | 2   | Sealing ring 12x16         |
| 7         | 0000 951 7103 | 2   | Screw plug M11             |
| 8         | 9503 003 0410 | 1   | Grooved ball bearing 6003  |
| 9         | 9456 621 3860 | 2   | Circlip 35x1.5             |
| 10        | 9640 003 2570 | 1   | Oil seal 22x35x7           |
| 11        | 1112 642 0600 | 1   | Drive shaft                |
| 12        | 9470 435 0510 | 1   | Key 4x4x10                 |
| 13        | 1112 642 1510 | 1   | Spur gear                  |
| 14        | 9470 435 0900 | 1   | Key 5x3x14                 |
| 15        | 1112 642 8200 | 1   | Ring                       |
| 16        | 1112 642 1300 | 1   | Rim sprocket kit 0.404" 7T |
| 17        | 0000 958 1012 | 1   | Washer                     |
| 18        | 9211 260 1340 | 1   | Hexagon nut M10x1          |
| 19        | 1112 656 1500 | 1   | Guard plate                |
| 20        | 9048 216 1010 | 2   | Pan head screw M5x18       |
| 21        | 1112 649 0500 | 1   | Gasket                     |
| 22        | 1112 641 0400 | 1   | Gearbox cover              |
| 23        | 9513 003 2760 | 1   | Needle cage 12x18x12       |
| 24        | 9371 470 2610 | 2   | Cylindrical pin 5x18       |
| 25        | 9395 021 0790 | 1   | Split pin 1.6x12           |
| 26        | 9048 216 1010 | 9   | Pan head screw M5x18       |
| 27        | 9636 965 2500 | 1   | Sealing ring 22x27         |
| 28        | 0000 951 7204 | 1   | Screw plug M22x1.5         |
| 29        | 1112 146 6000 | 1   | Guard                      |




112ET004 LA

| Reference | Item number   | Qty | Description          |
|-----------|---------------|-----|----------------------|
|           | 1110 400 0506 | 1   | Magneto<br>✚ 11-14   |
| 1         | 1110 400 1206 | 1   | Flywheel             |
| 2         | 1110 400 0807 | 1   | Stator plate         |
| 3         | 0000 989 1010 | 1   | Grommet              |
| 4         | 1110 405 0600 | 1   | Ignition lead 290 mm |
| 5         | 9482 435 0030 | 1   | Woodruff key 2x3.7   |
| 6         | 9021 319 0670 | 2   | Pan head screw M4x14 |
| 7         | 0000 989 0804 | 1   | Grommet              |
| 8         | 0000 989 0801 | 1   | Grommet              |
| 9         | 1110 080 0500 | 1   | Fanwheel<br>✚ 10     |
| 10        | 0000 961 5116 | 1   | Ring                 |
| 11        | 9048 319 0700 | 3   | Pan head screw M4x18 |
| 12        | 9210 261 1140 | 1   | Hexagon nut M8x1     |




112ET005 LA

| Reference | Item number   | Qty | Description                               |
|-----------|---------------|-----|-------------------------------------------|
|           | 1110 080 2810 | 1   | Fan cover with rewind starter<br>✚ 1İ-İ22 |
| 1         | 1110 080 2800 | 1   | Fan cover<br>✚ 2İ-İ4                      |
| 2         | 1110 084 9102 | 1   | Bushing                                   |
| 3         | 0000 967 2020 | 1   | Nameplate STIHL                           |
| 4         | 9441 065 1270 | 2   | Round head rivet 2.6x6                    |
| 5         | 1110 190 1001 | 1   | Rope rotor<br>✚ 6, 7                      |
| 6         | 1106 195 9800 | 4   | Notched pin                               |
| 7         | 1110 195 9301 | 1   | Ring                                      |
| 8         | 1111 195 9005 | 1   | Washer                                    |
| 9         | 1111 195 1600 | 1   | Rewind spring                             |
| 10        | 1111 195 1300 | 1   | Cover                                     |
| 11        | 0000 988 2405 | 1   | Felt ring                                 |
| 12        | 1107 195 8200 | 1   | Starter rope 4.5x1000 mm                  |
|           | 0000 930 2200 | 1   | Starter rope 4.5 mmx30.5 m (A,B)          |
| 13        | 1106 195 9001 | 2   | Washer                                    |
| 14        | 0000 958 1010 | 2   | Washer                                    |
|           | 1106 190 4600 | 1   | Friction shoe<br>✚ 15İ-İ19                |
| 15        | 1106 195 2900 | 1   | Brake spring                              |
| 16        | 1106 195 3000 | 1   | Brake lever                               |
| 17        | 1106 195 5000 | 2   | Friction shoe plate                       |
| 18        | 1106 195 5100 | 2   | Friction shoe spring                      |
| 19        | 1106 195 1700 | 2   | Spring retainer plate                     |
| 20        | 1106 195 3200 | 1   | Thrust washer                             |
| 21        | 9460 624 0500 | 1   | E-clip 5                                  |
| 22        | 1110 195 3400 | 1   | Starter grip                              |




112ET005 LA

| Reference | Item number   | Qty | Description                 |
|-----------|---------------|-----|-----------------------------|
| 23        | 1110 359 0701 | 1   | Gasket                      |
| 24        | 1110 084 1000 | 1   | Fan housing                 |
| 25        | 9062 319 0660 | 2   | Countersunk screw M4x12     |
| 26        | 9048 319 0660 | 9   | Pan head screw M4x12        |
|           | 1115 350 3501 | 1   | Pickup body<br>⊕ 27I-İ31    |
| 27        | 1111 350 3500 | 1   | Pickup body                 |
| 28        | 1111 358 9100 | 1   | Insert                      |
| 29        | 1111 358 9300 | 1   | Strainer                    |
| 30        | 1110 358 1800 | 1   | Filter                      |
| 31        | 1111 358 2500 | 1   | Cap                         |
| 32        | 1113 358 7700 | 1   | Hose                        |
| 33        | 1110 350 1200 | 1   | Elbow connector             |
| 34        | 9048 216 1010 | 4   | Pan head screw M5x18        |
| 35        |               | 1   | Hose 3.1x5.7x135 mm (D)     |
|           | 0000 930 2803 | 1   | Hose 3.1x5.7 mm x 1 m (A,B) |
| 36        | 1110 350 0500 | 1   | Filler cap<br>⊕ 37          |
| 37        | 9645 945 2820 | 1   | O-ring 25x2.5               |




112ET006 LA

| Reference | Item number   | Qty | Description                 |
|-----------|---------------|-----|-----------------------------|
| 1         | 1110 129 1401 | 2   | Gasket                      |
| 2         | 1110 146 7401 | 1   | Deflecting plate            |
| 3         | 0000 989 0802 | 1   | Grommet                     |
| 4         | 1110 120 2201 | 1   | Flange                      |
| 5         | 9036 341 1070 | 2   | Socket head screw M5x30     |
| 6         | 9123 319 0890 | 2   | Stud M5x58                  |
| 7         | 1111 129 1100 | 2   | Gasket                      |
| 8         | 1110 141 3000 | 1   | Insulating plate            |
| 9         | 1110 120 0610 | 1   | Carburetor HS-181C          |
| 10        | 1110 149 1200 | 1   | Gasket                      |
| 11        | 1110 140 2815 | 1   | Filter housing<br>+ 12i-15  |
| 12        | 1111 185 2000 | 1   | Choke lever                 |
| 13        | 0000 951 2600 | 1   | Oval head screw M4x10       |
| 14        | 0000 997 0326 | 1   | Compression spring          |
| 15        | 9516 003 1720 | 1   | Ball $\phi$ 4 mm            |
| 16        | 9121 319 1030 | 1   | Stud M5x22                  |
| 17        | 9216 261 0700 | 2   | Hexagon nut M5              |
| 18        | 1110 122 6201 | 1   | Idle speed adjustment screw |
| 19        | 0000 997 0626 | 1   | Helical spring              |
| 20        |               | 1   | Hose 3.1x5.7x120 mm (D)     |
|           | 0000 930 2803 | 1   | Hose 3.1x5.7 mm x 1 m (A,B) |
| 21        | 1110 148 4000 | 1   | Strap                       |
| 22        | 9048 216 1010 | 1   | Pan head screw M5x18        |
| 23        | 1110 120 1601 | 1   | Air filter, flocked         |
| 24        | 1110 084 0604 | 1   | Cover                       |
| 25        | 0000 967 1569 | 1   | Model plate 041 G           |
| 26        | 9441 065 1270 | 1   | Round head rivet 2.6x6      |
| 27        | 0000 958 1705 | 1   | Washer                      |
| 28        | 1110 140 9500 | 1   | Slotted nut                 |
| 29        | 9455 621 1670 | 1   | Circlip 16x1                |
| 30        | 1110 182 1505 | 1   | Throttle rod                |
| 31        | 1110 185 1904 | 1   | Choke rod                   |




112ET007 LA

| Reference | Item number   | Qty | Description                    |
|-----------|---------------|-----|--------------------------------|
|           | 1110 120 0610 | 1   | Carburetor HS-181C<br>+ 11-130 |
| 1         | 1110 122 9410 | 1   | Plug                           |
| 2         | 1110 122 4200 | 1   | Ball                           |
| 3         | 1110 122 3000 | 1   | Spring                         |
| 4         | 1111 120 7200 | 1   | Choke shaft with lever         |
| 5         | 1115 121 2900 | 1   | Choke shutter                  |
| 6         | 1110 129 0900 | 1   | Gasket                         |
| 7         | 1110 121 4700 | 1   | Metering diaphragm             |
| 8         | 1110 121 0811 | 1   | End cover                      |
| 9         | 1106 122 7400 | 4   | Round head screw               |
| 10        | 1110 121 4801 | 1   | Pump diaphragm                 |
| 11        | 1110 129 1110 | 1   | Gasket                         |
| 12        | 1110 121 0815 | 1   | End cover                      |
| 13        | 1110 122 7700 | 4   | Oval head screw                |
| 14        | 1110 122 6800 | 1   | Low speed adjustment screw     |
| 15        | 1110 122 3030 | 1   | Spring                         |
| 16        | 1124 121 5000 | 1   | Inlet control lever            |
| 17        | 1110 121 9200 | 1   | Spindle                        |
| 18        | 1110 122 7800 | 1   | Oval head screw                |
| 19        | 1110 121 5100 | 1   | Inlet needle                   |
| 20        | 4221 121 7800 | 1   | Strainer                       |
| 21        | 1110 122 3020 | 1   | Spring                         |
| 22        | 1110 122 6700 | 1   | High speed adjustment screw    |
| 23        | 1106 122 3000 | 1   | Spring                         |
| 24        | 1110 121 5400 | 1   | Valve jet                      |
| 25        | 1110 120 7100 | 1   | Throttle shaft with lever      |
| 26        | 1110 122 9300 | 1   | Clip                           |
| 27        | 1110 122 7400 | 3   | Round head screw               |
| 28        | 1110 122 3200 | 1   | Torsion spring                 |
| 29        | 1110 121 3300 | 1   | Throttle shutter               |
| 30        | 1110 122 3900 | 1   | Elbow connector                |



112ET008 LA

| Reference | Item number   | Qty | Description                     |
|-----------|---------------|-----|---------------------------------|
| 1         | 1110 080 1601 | 1   | Shroud                          |
| 2         | 0000 989 0502 | 1   | Clamp                           |
| 3         | 1110 791 2200 | 1   | Rubber grip                     |
| 4         | 1108 180 1600 | 1   | Starting throttle lock          |
| 5         | 0000 997 0603 | 1   | Compression spring              |
| 6         | 9460 624 0320 | 1   | E-clip 3.2                      |
| 7         | 1110 180 1500 | 1   | Throttle trigger                |
|           |               |     | ✚ 8                             |
| 8         | 9415 415 2240 | 1   | Hollow rivet 3x0.3x5            |
| 9         | 9373 542 2610 | 1   | Cylindrical pin 5x18            |
| 10        | 1110 430 0202 | 1   | Stop switch                     |
| 11        | 0000 967 3506 | 1   | Label                           |
| 12        | 9211 260 1430 | 1   | Hexagon nut M12x0.75            |
| 13        | 1110 432 9200 | 1   | Grommet                         |
| 14        | 1110 791 7600 | 1   | Support                         |
| 15        | 9380 620 2800 | 1   | Roll pin 5x55                   |
| 16        | 1110 791 1910 | 1   | Handlebar holder                |
| 17        | 9048 216 1010 | 4   | Pan head screw M5x18            |
| 18        | 1112 791 1900 | 1   | Handlebar holder                |
| 19        | 9048 216 1050 | 1   | Pan head screw M5x25            |
| 20        | 1112 790 3700 | 1   | Wrap around handlebar with hose |
|           |               |     | ✚ 21, 22                        |
| 21        | 1110 791 2000 | 1   | Handle hose                     |
| 22        | 1110 791 2010 | 1   | Handle hose                     |
| 23        | 9036 341 0980 | 4   | Socket head screw M5x16         |
| 24        | 9214 320 0700 | 5   | Lock nut M5                     |



112ET009 LA

| Reference | Item number   | Qty | Description                 |
|-----------|---------------|-----|-----------------------------|
|           | 1110 890 1410 | 1   | Tool kit<br>+ 1l-17         |
| 1         | 0000 891 0800 | 1   | Tool roll                   |
| 2         | 1107 191 1201 | 1   | Locking screw               |
| 3         | 0811 012 1152 | 1   | Wrench 8x10                 |
| 4         | 1110 893 4000 | 1   | Filing gauge                |
| 5         | 0811 270 1080 | 1   | Allen key 4x70x130          |
| 6         | 1110 890 3401 | 1   | Combination wrench          |
| 7         | 1110 893 8800 | 1   | Hook<br>Extras              |
| 8         | 0811 411 8108 | 1   | Round file c 5.5x200 mm     |
| 9         | 0811 490 7860 | 1   | File handle A100            |
| 10        | 1108 890 2500 | 1   | Grease gun                  |
|           | 1110 007 1050 | 1   | Set of gaskets (A)          |
|           | 0000 792 9106 | 1   | Chain scabbard (A)          |
|           | 1110 007 1060 | 1   | Set of carburetor parts (A) |